L Number	Hits	Search Text	DB	Time stamp
1	7007	707/1-3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:00
2	967	707/103R,103Y.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:00
3	3516	707/3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:01
4	0	709/316.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:01
5	0	718/316.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:01
6	317	709/216.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:03
7	237	707/103R,103Y.ccls. and(cache or "cache memory")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:05
8	55	(707/103R,103Y.ccls. and(cache or "cache memory")) and(function near5 creat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:05
9	35	((707/103R,103Y.ccls. and(cache or "cache memory")) and(function near5 creat$3)) and map$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:05
10	17	(((707/103R,103Y.ccls. and(cache or "cache memory")) and(function near5 creat$3)) and map$3) and("relational database" or RDBMS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:06
11	12	((((707/103R,103Y.ccls. and(cache or "cache memory")) and(function near5 creat$3)) and map$3) and("relational database" or RDBMS)) and (data same model)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:07
12	11	(((((707/103R,103Y.ccls. and(cache or "cache memory")) and(function near5 creat$3)) and map$3) and("relational database" or RDBMS)) and (data same model)) and updat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:07
13	9	((((((707/103R,103Y.ccls. and(cache or "cache memory")) and(function near5 creat$3)) and map$3) and("relational database" or RDBMS)) and (data same model)) and updat$3) and (retriev$3 near10 stor$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:08
-	8243363	"6" creat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:16

-	1	6035303.pn. and (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:27
-	1	(6035303.pn. and (database or repository)) and(cache or "cache memory")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:42
-	1	((6035303.pn. and (database or repository)) and(cache or "cache memory")) and function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:47
-	1	(((6035303.pn. and (database or repository)) and(cache or "cache memory")) and function) and creat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:48
-	2	6035303.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:58
-	19	6035303.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:59
-	2	6035303.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:17
-	1	6035303.pn. and updat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:18
-	0	6035303.pn. and(data same model)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:18
-	2	6035303.pn. and (data near5 stor$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:27
-	1	6035303.pn. and map$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:37
-	2	"20020147857"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:38
-	0	"20020147857" and (relational same database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:45
-	1	6035303.pn. and(row near3 column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 11:45

| - | 0 | (6035303.pn. and(row near3 column)) and tableS1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 11:46 |
| - | 1 | (6035303.pn. and(row near3 column)) and table | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/17 11:46 |